

**Enology Services Lab
Data Summary**

Juice and Must Samples

Date Received Range: 8/25/2010 to 10/30/2013

Total Samples 464

Vintage

2013

Sample Count 86

	BRIX	TA (g/L)	pH	Malic (mg/100mls)	YAN
Mean	19.40	6.16	3.57	273.35	
Max	25.80	14.48	4.39	545.00	
Min	12.40	2.78	2.86	3.00	
St Dev	2.57	2.12	0.28	113.97	

Vintage

2012

Sample Count 111

	BRIX	TA (g/L)	pH	Malic (mg/100mls)	YAN
Mean	18.95	5.63	3.81	244.93	349.18
Max	25.10	10.70	8.70	400.00	468.00
Min	10.20	2.60	3.08	60.00	50.00
St Dev	2.82	1.86	0.68	90.37	116.63

Vintage

2011

Sample Count 109

	BRIX	TA (g/L)	pH	Malic (mg/100mls)	YAN
Mean	20.34	5.42	3.72	249.94	170.54
Max	26.00	15.90	4.48	595.00	334.55
Min	7.50	2.20	3.08	0.00	25.00
St Dev	2.62	2.44	0.33	137.89	59.73

Enology Services Lab
Data Summary

Juice and Must Samples

Date Received Range: 8/25/2010 to 10/30/2013

Total Samples 464

Vintage

Unspecified

Sample Count

158

	BRIX	TA (g/L)	pH	Malic (mg/100mls)	YAN
Mean	19.54	5.66	3.71	435.52	211.24
Max	28.20	16.40	4.32	953.00	774.00
Min	6.00	2.20	2.81	0.00	21.00
St Dev	3.42	2.98	0.38	261.20	91.07
